UNC School of Social Work/Wake AHEC Clinical Lecture Series

Ethics of Self-Determination: Empowering Older Adults to Make Their Own Life Decisions

Tanya Richmond, MSW, CCRC, LCSW Assistant Clinical Professor, UNC-Chapel Hill Program Coordinator, Center for Aging Research and Educational Services (CARES)

March 24, 2014

It can start with a phone call like this...



Advanced Care Planning



Health Care Power of Attorney

•Appoint someone to be your decision maker

Living Will

ODetails the care you want

When do your directives start?

- •When you lack capacity, and
- Oyou can't communicate your wishes

When do the directives end?

- OWhen you revoke them
- •When a court invalidates them
- •When a court revokes your agent's authority
- •When you get a divorce
- •After your death

Having that critical conversation

The notions of autonomy and self-direction do not only apply when people are healthy

Having that critical conversation
Too often, people are excluded
from medical decision-making
because they are presumed to be
incompetent and/or not capable
by the sheer virtue of their label
as an older adult...particularly if
they have had any cognitive
issues or events.

Having that critical conversation
Trying to gather information and plan at the eleventh hour when a critical decision is staring us in the face makes no sense, is immensely difficult, is fraught with emotion that often leads to poor judgment, and is a poor response on our part as a system.

Medical Goals and Family Decisions

3 Goals of Medical Treatment

OCure

Stabilization of functioning

 Preparation for a comfortable and dignified death

Family Decisions

OCPR

Artificial hydration/ nutrition

- O Hospitalization
- Palliative or comfort care only

Pearl's Surgery



Issue 1

Too often people are presumed to be incompetent and/or not capable because they have the label of some kind of cognitive or intellectual disability

Issue 2

Self-direction and autonomy do not stop as one gets older and/or develops a critical, chronic, or terminal illness

Six years later...

What Could Have Happened?

- •We could have gone through the "emergency Healthcare Power of Attorney" process again.
- •We could have gone to court and request to have a Guardian appointed immediately.
- •We could have looked to "the system" for a decision

The dreaded phone call...



Issue 3


Eleventh-hour planning is not planning; it is an ineffectual response to our lack of process for thinking ahead.


Need for Advanced Directive Planning Training


Statistically, it is estimated that only 18% to 36% of Americans have an Advance Directive

Which brings us to tools that can assist in communicating...

Person Centered Profiles Relationship Maps







A few tips for getting the best information and understanding motivations:

- •Make it personal
- Make it empowering
- •Make sure it comes from a trusted source
- Make it self-directed
- Make it solution-oriented

What about people with cognitive decline?

- •Do you think someone with cognitive decline should be able to make healthcare decisions?
- ODiscuss why or why not with a partner.

Guidelines for Decision-Making Capacity:

- •Understanding of right to choice
- OUnderstanding of being asked to make a choice
- •Can apply personal values
- •Can offer a justification for the decision
- Makes the same decision over a period of time

Communication Challenges

- •Remember the potential difficulties with cognition and interaction
 - •Paying attention, remembering
 - •Logical thinking and planning
 - •Following the flow of a conversation and responding accordingly
 - OUnderstanding social cues and norms

Adapting Professional Communication

- ODo not use jargon.
- Express one thought or idea at a time.
- Expect missed cues; repeat information as needed, ask questions in different ways.
 - OUse reminders creatively.
- Work to maintain trust and a positive alliance.

For more information, contact:

Tanya M. Richmond MSW, LCSW
UNC CARES
919-962-6587
tanya_richmond@unc.edu